




**BAMBOO TOILET / SHOWER / URINAL PARTITION SYSTEM FOR
COMMERCIAL INSTALLATION**

Thank you for embracing our bamboo partition systems!



'Stealth' (black) hardware accentuates the bamboo



Bacterial transfer reduced with slide closures

For specification purposes, please use the following information as a guide:

FIRST: Choose a privacy design:

1. **'Covert'** which is composed of 25mm thick frontals and nibs, with 13mm doors and partitions. The frontals and nibs are rebated on the vertical edge to overlap and act as a door stop for the 13mm doors. Privacy ensured. (see image overleaf)
OR
2. **'Retreat'** which is composed of all 13mm thick material, with clearance between the doors, frontals and nibs (like standard/typical installations).

SECOND: Choose the bamboo material:

When choosing a bamboo material – you can specify all in the one style of bamboo (**narrow grain, wide grain or strand woven**) along with the colour choice (**natural, carbonised or multi**) to correspond; or you may decide on a combination of contrasting doors and/or frontals and nibs to the partitions. Water resistant, tough finishes are applied in the factory to all bamboo panels. Whilst some stock is carried here in Victoria, larger quantities, may need to be ordered in from our factory in China. (Over 14 million hectares of bamboo is grown as native to China

Please refer to your sample folder or our website for specification of the bamboo material.

www.letobamboo.com

THIRD: Choose the finish for the **hardware** (metal door furniture and fittings):

1. **'Stealth'** for the ALL BLACK hardware. Headrails and single solid legs throughout, except if ceiling hung installation. (Refer to 'proprietary SYSTEM' below)
OR
2. **'Standard'** for ALL NATURAL ANODISED (silver/grey)

FOURTH: Select a proprietary system:




1. **'FRAMED' SYSTEM** Consists of Oval profile headrail, 1600 H x 600 W doors (720 openings to ambulant), 1800 H Frontals, Nibs AND Partitions, over 200 H legs. **Good in 2400 ceiling height**
2. **'TOWERING' SYSTEM** Ceiling mounted nibs and frontals **up to 3000 H ceiling**. 2000 H (x 600 W) doors and 2000 H Partitions. Nibs and Frontals can be floor to ceiling (no legs), or over 200 H legs. Please allow for 'back blocking' to be installed by others in the ceiling, prior to plaster and partition installation, IF ceiling mounted installation required.
3. **'INCOGNITO' SYSTEM** Maximum privacy available whilst safety compliant – partitions and doors 50mm from ceiling, 50mm from floor; **up to 2500 ceiling height**. Ultimate luxury with 25mm thick board all around, except doors.

All our toilet installations have a matching (optional) **'Stealth' (black) or standard silver finish double toilet roll holder with integrated shelf included**. LETObamboo exclusive.



LETObamboo is the supplier AND installer of these systems, with a full warranty* to suit.



An example of specifying would look like this:

<u>Code / Tag / Key</u>	<u>Item / Legend / System</u>	<u>Location / Level / Room Number</u>	<u>Material / Product / Specification / Detail / Code Description / Proprietary System</u>	<u>Image / Identification (Taken from letobamboo.com)</u>	<u>Contact</u>
<u>TP</u>	<u>Toilet Partitions</u>	<u>All wet areas</u>	LETObamboo ¹ 'Covert' in ² Strand woven, carbonised, ³ Stealth hardware in the ⁴ 'Incognito' System		LETObamboo 14 Endeavour Way Braeside, 3195. 03 9588 1556 letosales@letobamboo.com
<u>SP</u>	<u>Shower Partitions</u>	<u>Washrooms</u>	<u>As above</u>		LETObamboo 14 Endeavour Way Braeside, 3195. 03 9588 1556 letosales@letobamboo.com
<u>FR</u>	<u>Fitting Room benches</u>	<u>1.02; 2.02; 3.02; 4.02</u>	LETObamboo ² 19mm Strand Woven, Multi (19_SW_M)		LETObamboo 14 Endeavour Way Braeside, 3195. 03 9588 1556 letosales@letobamboo.com
<u>CR</u>	<u>Change Rooms</u>	<u>Overhead hook plates and seating</u>	LETObamboo ² 25mm Narrow Grain, Carbonised (25_NG_C)		LETObamboo 14 Endeavour Way Braeside, 3195. 03 9588 1556 letosales@letobamboo.com

'FRAMED' system





'FRAMED' SYSTEM




'TOWERING' system





'TOWERING' SYSTEM



'INCOGNITO' system



'INCOGNITO' SYSTEM





ABN 55 862 683 342

ACN 134 338 604

We have small models of the 'Covert' and 'Retreat' styles to view upon request.

Technical Attributes relevant to the construction sector:

- Fire Hazard Properties: **Group 3** result.
- **VOC Test:** Total Volatile Organic Compound Emission Rate limit **<0.5mg/m2/hr**
- **Formaldehyde Emissions test:** Formaldehyde Emission Rate limit **<0.1mg/m2/hr**
- Compliant to the **Living Building Challenge:** no red list chemicals present when sealed with Livos Kunos oil sealer
- **FSC** compliant: Forest Stewardship Council Certified.
- **Janka Rating:** Strand Woven Bamboo **hardness** rating of 16.1Kn (Spotted Gum: 11, Tasmanian Oak: 5.5)
- **Naturally bacterial resistant.** Bamboo plants do not support or promote bacterial growth.

***Warranty:**

LETObamboo toilet partitions are subject to a **lifetime warranty** against de-lamination in regular use. Standard sealant used is a water-borne, 2 pack abrasion-resistant, clear, low sheen finish. Specifiers can nominate a preferred sealant – please discuss with LETObamboo in advance. All finishes applied, can be repaired in situ if damage has occurred, unlike other panels in common use. The high impact resistance of bamboo is ideally suited to toilet partition use. A **24-month guarantee is provided when Installation by LETObamboo** is carried out – against workmanship and quality of finish application. Bamboo is a natural material. As such, it benefits from no pattern repeats – all sheets have slight variations in visual appearance – adding to the unique feel to all our installations.

All hardware is either powder coated or anodised aluminium with a 1-year defect-free supplier warranty in place.

Aesthetic Characteristics:

Bamboo panels provide the warmth and atmosphere of nature, whilst offering robustness. There are 7 different natural visual styles to choose from – along with the ability of applying stains, printing, laser etching or CNC routed designs to the panels.

Samples:

Sample books can be supplied upon request. We welcome any questions you may have, anytime; and can offer the services of a full presentation at your office or ours upon arrangement.