





Routered Faces







Glazed Doors



Glazed Doors





Boreas

LETObamboo is an Australian owned company based in Victoria, with a network of distributors and re-sellers around Australia. All the bamboo doors we supply are made to size; sanded and ready for clear finishing or painting.

Our Bamboo is certified by the **Forest Stewardship Council**, and complies with the stringent tests applied by the **Living Building Challenge**. Our material is completely **non-toxic**, and carbon rich. As such, it is very strong.


All doors are made to measure in Braeside, Victoria. No doors are supplied with hardware unless specified otherwise by LETObamboo.

Why choose LETObamboo DOORS?

- LETObamboo doors are made to your size and design in Braeside Victoria
- LETObamboo doors are available in a range of thicknesses 30, 35, 40, and 50mm thick options in 3 different textures are available
- LETObamboo doors can be **clear finished**, **stained or painted** in water-based sealers and finishes
- LETObamboo doors can be hung using hinges, pivot hinges or on sliding door tracks
- Door sizes can range up to **3m in height, and 1350 in width**.
- Bamboo is like hardwood in sheet form. Due to its' high density, it will withstand high impact attacks
- Acoustically superior due to its' high density
- FSC certified
- Group 3 fire rating which can be upgraded to Group 1 with the application of intumescent paint
- Low/no VOC or Formaldehyde Emissions
- Bamboo is **carbon-rich**; it can absorb up to five times more carbon than a pine tree
- Bamboo root systems remain in place after harvesting and re-grow year upon year –
 therefore being truly sustainable (think of the grass in your yard!) This same root system
 assists with soil stability
- Bamboo is a non-toxic readily available natural resource. Think of traditional bamboo chopsticks (they go in your mouth) to realise how safe a material bamboo is.
 LETObamboo doors are laminated together with similarly non-toxic adhesives

HOW TO SPECIFY LETObamboo DOORS:

ROOM NUMBER	ID	DOOR LEAF					DOOR FRAME		Comments
	Door No.	Leaf Height	Leaf Width	Leaf Thickness	Leaf Material	Leaf Finish	Frame Type	Frame Finish	
		Up to 2420 mm	Up to 1210	30mm, 35mm, 40mm, or 50mm	SC-B	Water- based	100% Bamboo	Water- based	SC-B - Solid Core - 100% Bamboo (Choice of Narrow Grain in Carbonised or Natural colour; or Strand Woven in Carbonised colour)
		Up to 2420 mm	Up to 1210	30mm, 35mm, 40mm, or 50mm	SS-B	Water- based	100% Bamboo	Water- based	SS-B Semi-Solid Core - Bamboo (100% bamboo rails and stiles with acoustic infil) Available in Narrow Grain in Carbonised or Natural colour AND Strand Woven Carbonised colour
		Up to 3030mm	Up to 1210	30mm 35mm, 40mm, or 50mm	SC-B	Water- based	100% Bamboo	Water- based	SC-B - Solid Core - 100% Bamboo (Choice of Narrow Grain in Carbonised or Natural colour)
		Up to 3030mm	Up to 1350 wide	40mm or 50mm	SS-B	Water- based	100% Bamboo	Water- based	SS-B Semi-Solid Core - Bamboo (100% bamboo rails and stiles with acoustic infil) Available in Narrow Grain in Carbonised or Natural colour



14 Endeavour Way, Braeside, Victoria, 3195

+61 3 8512 0681

0492 990 970 letosales@letobamboo.com